

**PIENAAR ENERGY (PTY) LTD**

# **615wp photovoltaic panel parameters**



## Overview

---

The specifications are obtained under the standard test conditions: 1000W/m<sup>2</sup> solar irradiance, 1.5 Air Mass and cell temperature of 25°C. Measurement uncertainty for all panels is 3%. These parameters are for reference only and it is not a. TOPCon / Half-cut Better temperature coefficient (Pmpp) Non-destructive cutting PID resistance Low BOS cost & LCOE Bifacial gain 1 Maximum Refer to Mechanical Astronergy crystalline Test Load=1. 5×Maximum installation manual Mechanical or contact Design technical Load. t refer to a single module and they are not part of the offer. The LONGi LR7-72HTH-615M is a highly efficient monocrystalline solar panel, designed to deliver optimal performance for residential and commercial applications. With a peak power output of 615 W and an efficiency of 22.8%, this panel ensures high energy yield and excellent performance in various. Power output increases by 5-25% from the Withstand High Mechanical load : backside resulting in significantly reduced Front (5400 Pascal) LCOE and (IRR). Back (2400 Pascal) Exceptional Anti-PID performance through Improved light trapping and current the use of optimized mass-production collection. 30 Years linear power warranty Nominal Max. Power(Pmax/W) 610 615 620 625 630 Open Circuit Voltage(Voc/V) 55.

## 615wp photovoltaic panel parameters

---



### 6JAM66D45 590-615 LB 35-33F Global EN 20231211A(1)(2)

ELECTRICAL PARAMETERS AT STC t refer to a single module and they are not part of the offer \*For Nextracker installations, maximum static load please take compatibility approve letter between ...

[Get Price](#)

### Shinefar Solar , SF-M18/156 600-615W , Solar Panel ...

Detailed profile including pictures, certification details and manufacturer PDF.

[Get Price](#)



### Datasheet PS

\*\* Caution: For professional use only, the installation and handling of PV modules and cleaning modules require professional skills and should only be performed by qualified professionals, please read the ...

[Get Price](#)

### DAS-DH156NA-

## EN-615-635(2465-1134-35)

Mechanical Parameters Cell Type N Type  
Module Size 2465×1134×35mm Glass  
Thickness 2.0mm Module Weight 34.3Kg  
Output Cable 4mm<sup>2</sup>, cable length  
300mm (can be customized) Connector

...

[Get Price](#)



## Longi 615 Watt Hi-Mo 7 Bifacial Series Solar Panel

Longi 615 Watt Hi-Mo 7 Bifacial Series  
Solar Panel LONGi Solar SKU:  
LR7-72HGD-615M Availability: 4-6 weeks

[Get Price](#)

## TommaTech 615Wp 144TNB M10 TopCon Solar Panel

Outstanding Low Irradiation Glass:  
Outstanding panel performance even in  
weak light conditions Excellent  
Durability: Wind load up to 2400 Pa,  
Snow load up to 5400 Pa

[Get Price](#)



## EN-CWT-156TN10-615-635WP

These parameters are for reference only  
and it is not a part of the contracts. The  
technical specifications in this document  
may vary. For more information, refer to

the "Installation Manual".

[Get Price](#)



## LONGi Solar Hi-MO 7 V2 615Wp Bifacial Photovoltaic Panel

It is certified according to IEC and UL standards and comes with a 12-year product warranty and a 30-year linear performance warranty. The ideal choice for large-scale photovoltaic projects that require ...

[Get Price](#)

Support any customization

Inkjet

Color label

LOGO



## 615W , LONGI-PANEL-615W-LR7-72HTH-615M , NCA SOLAR

With a peak power output of 615 W and an efficiency of 22.8%, this panel ensures high energy yield and excellent performance in various environmental conditions. The panel features 144 half-cut cells, ...

[Get Price](#)

**Contact Us**

For catalog requests, pricing, or partnerships, please visit:  
<https://www.pienaarshof.co.za>

