

PIENAAR ENERGY (PTY) LTD

Csb 12v battery spec sheet



Overview

Design for Standby Power Applications [Design Life) Up to 5 Years in Standby Service at 25°C Eurobat (200C) : 3-5 years, Standard Commercial Operating Temperature Range) Nominal Operating Temperature : 25°C (77 OF)
Discharge : -15°C 50°C Charge: -15°C (50FN1040F) Storage: -15°C 40°C (.
Design for Standby Power Applications [Design Life) Up to 5 Years in Standby Service at 25°C Eurobat (200C) : 3-5 years, Standard Commercial Operating Temperature Range) Nominal Operating Temperature : 25°C (77 OF)
Discharge : -15°C 50°C Charge: -15°C (50FN1040F) Storage: -15°C 40°C (.
ABS (UL 94-HB) & Flame Retardant (94-V0) available upon request. Charging Voltage Less than 10% after 90 days, can be stored up to 6 months at 25°C (77°F); Fully recharging is required before usage, and charged sooner if stored at higher temperature than 25°C (77°F). Maintenance-Free Sealed Lead Acid Battery. Absorbent Glass Mat (AGM) technology for efficient gas recombination of up to 99%. Its characteristics are small volume, light weight and high discharge efficiency.

Csb 12v battery spec sheet



CSB HRL1234WF2FR Battery

12 V 34.0w/cell HR 1234WF2 is specially designed for high efficient discharge long life application. Its characteristics are small volume, light wei

[Get Price](#)

CSB GP12120 Lead Acid 12Vdc 12Ah Battery Datasheet

Maintenance-Free Sealed Lead Acid Battery. Absorbent Glass Mat (AGM) technology for efficient gas recombination of up to 99%. Up to 5 Years in Standby Service at 25°C Eurobat (20°C) : 3-5 years, ...



[Get Price](#)



GP12120 CSB Batteries

GP 12120 is a general purpose battery up to 5 years in standby service or more than 260 cycles at 100% discharge in cycle service. As with all CSB batteries, all are rechargeable, highly efficient, leak proof ...

[Get Price](#)

HRL12110W-CSB

Battery-12V110w-High Rate Long Life Battery

HRL12110W is specially designed for high efficient discharge and long life application. Its characteristics include small volume, light weight, and high discharge efficiency. It can be used for up to 8 years in ...

[Get Price](#)



GP12650-csb battery 12 V 65.0Ah

GP12650 12 V 65.0Ah GP 12650 is a general purpose battery up to 5 years in standby service. As with all CSB batteries, all are rechargeable, highly efficient, leak proof and maintenance free.

[Get Price](#)

CSB Datasheet GP12120 053124

Charging Voltage. Less than 10% after 90 days, can be stored up to 6 months at 25°C (77°F); Fully recharging is required before usage, and charged sooner if stored at higher temperature than 25°C ...

[Get Price](#)



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.pienaarshof.co.za>

