

PIENAAR ENERGY (PTY) LTD

Non-vanadium liquid flow battery



Overview

This study analyzes an alternative membrane-free (membraneless) flow battery technology that relies on immiscible electrolytes, which spontaneously separate into two distinct liquid phases, eliminating the need for an ion-selective membrane or any other kind of physical separator. [1][2] Ion transfer inside the cell (accompanied. This technology strategy assessment on flow batteries, released as part of the Long-Duration Storage Shot, contains the findings from the Storage Innovations (SI) 2030 strategic initiative. The objective of SI 2030 is to develop specific and quantifiable research, development, and deployment (RD&D). Redox flow batteries (RFBs) are particularly suitable due to their efficiency and unique ability to decouple energy and power density. With different solvents on each side, enhanced cell voltages were obtained for a flow battery using viologen-based.

Non-vanadium liquid flow battery



Flow battery

Flow batteries can be classified using different schemes: 1) Full-flow (where all reagents are in fluid phases: gases, liquids, or liquid solutions), such as vanadium redox flow battery vs semi-flow, where ...

[Get Price](#)

A New Nonaqueous Flow Battery with Extended Cycling

In this paper, we report a new nonaqueous FB system, with long cycling achieved with the use of chemically durable negolyte and posolyte organic molecules and a permselective lithium ...



[Get Price](#)



Flow batteries, the forgotten energy storage device

In standard flow batteries, two liquid electrolytes--typically containing metals such as vanadium or iron--undergo electrochemical reductions and oxidations as they are charged and then discharged.

[Get Price](#)

Organic redox flow batteries in non-aqueous electrolyte solutions

Redox flow batteries (RFBs) are gaining significant attention due to the growing demand for sustainable energy storage solutions.

[Get Price](#)



What Are Flow Batteries? A Beginner's Overview

Want to understand flow batteries? Our overview breaks down their features and uses. Get informed and see how they can benefit your energy needs.

[Get Price](#)

About Flow Batteries , Battery Council International

Flow batteries are notable for their scalability and long-duration energy storage capabilities, making them ideal for stationary applications that demand consistent and reliable power. Their unique ...

[Get Price](#)



Technology Strategy Assessment

Redox flow batteries (RFBs) or flow batteries (FBs)--the two names are



interchangeable in most cases--are an innovative technology that offers a bidirectional energy storage system by ...

[Get Price](#)

Membrane-free redox flow battery: From the idea to the market

This study analyzes an alternative membrane-free (membraneless) flow battery technology that relies on immiscible electrolytes, which spontaneously separate into two distinct ...

[Get Price](#)



Recent advancements in membrane-free redox flow batteries

We explore the utilization of immiscible electrolyte solvents and the engineering of laminar flow dynamics to achieve efficient electrolyte separation without traditional ion-exchange ...

[Get Price](#)





Material design and engineering of next-generation

flow-battery

This Review highlights the latest innovative materials and their technical feasibility for next-generation flow batteries.

[Get Price](#)



12.8V6Ah

Nominal voltage (V):	12.8
Nominal capacity (Ah):	6
Rated energy (Wh):	76.8
Maximum charging voltage (V):	14.6
Maximum charging current (A):	6
Floating charge voltage (V):	13.6-13.8
Maximum continuous discharge current (A):	10
Maximum peak discharge current @10 seconds (A):	20
Maximum load power (W):	100
Discharge cut-off voltage (V):	10.8
Charging temperature (°C):	0-50
Discharge temperature (°C):	-20-+60
Working humidity:	<95% R.H (non condensing)
Number of cycles (25 °C, 0.5C, 100%DoD):	>2000
Cell combination mode:	32700-4s1p
Terminal specification:	T2 (6.3mm)
Protection grade:	IP65
Overall dimension (mm):	90*70*107mm
Reference weight (kg):	0.7
Certification:	un38.3/msds

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.pienaarshof.co.za>

